

LEGEND

\$name	parameter
{s}	String
{b}	Boolean
{int}	Integer
{obj}	Object
T	Notes
*	Deprecated

WordPress is a state-of-the-art publishing platform with a focus on aesthetics, web standards, and usability.

• <http://wordpress.org>

Designed by Antonio Lupetti

• <http://woorkup.com> • <http://www.twitter.com/woork>

★ INCLUDE TAGS

get_header

Includes the header.php template file from your current theme's directory.

```
<?php get_header( $name ); ?>
```

\$name {s}

get_sidebar

Includes the sidebar.php template file from your current theme's directory.

```
<?php get_sidebar( $name ); ?>
```

\$name {s}

get_search_form

Display search form using searchform.php theme file.

```
<?php get_search_form(); ?>
```

comments_template

Loads the comment template. For use in single post and page displays.

```
<?php comments_template( $file, $separate_comments ); ?>
```

\$file {s} / *\$separate_comments* {b}

get_footer

Includes the footer.php template file from your current theme's directory.

```
<?php get_footer( $name ); ?>
```

\$name {s}

★ BLOG INFO TAGS

bloginfo

Displays information about your blog, mostly gathered from the information you supply in your User Profile and General Options from the WordPress Administration panels

```
<?php bloginfo( $show ); ?>
```

\$show {s} / admin_email | atom_url | charset | comments_atom_url | comments_rss2_url | description | url | html_type | language | name | pingback_url | rdf_url | rss2_url | rss_url | siteurl | stylesheet_directory | stylesheet_url | template_directory | template_url | text_direction | version | wpurl

bloginfo_rss

Displays information about your blog, mostly gathered from the information you supply in Users > Your Profile and General Options from the WordPress Administration Panels

```
<?php bloginfo_rss( $show ); ?>
```

\$show {s} / name | description | url | rdf_url | rss_url | rss2_url | atom_url | comments_rss2_url | pingback_url | admin_email | charset | version | html_type | wpurl | template_url | template_directory | stylesheet_url | stylesheet_directory

get_bloginfo

The get_bloginfo() function returns information about your blog which can then be used elsewhere in your PHP code.

```
<?php $bloginfo = get_bloginfo( $show ); ?>
```

\$show {s} / name | description | url | *home* | *siteurl* | description | wpurl | rdf_url | rss_url | rss2_url | atom_url | comments_rss2_url | pingback_url | stylesheet_url | stylesheet_directory | template_directory | template_url | admin_email | charset | version | html_type

get_bloginfo_rss

RSS container for the bloginfo function.

```
<?php get_bloginfo_rss( $show ) ?> {s}
```

\$show {s} / name | description | url | rdf_url | rss_url | rss2_url | atom_url | comments_rss2_url | pingback_url | admin_email | charset | version | html_type | wpurl | template_url | template_directory | stylesheet_url | stylesheet_directory

★ LISTS AND DROPDOWN TAGS

wp_list_authors

Displays a list of the blog's authors (users), and if the user has authored any posts, the author name is displayed as a link to their posts.

```
<?php wp_list_authors( $args ); ?>
```

\$args / optioncount | exclude_admin | show_fullname | hide_empty | echo | feed | feed_image | style | html

wp_list_categories

Displays a list of Categories as links.

```
<?php wp_list_categories( $args ); ?>
```

\$args / show_option_all | orderby | order | show_last_update | style | show_count | hide_empty | use_desc_for_title | child_of | feed | feed_type | feed_image | exclude | exclude_tree | include | current_category | hierarchical | title_li | number | echo | depth

wp_list_pages

Displays a list of WordPress Pages as links.

```
<?php wp_list_pages( $args ); ?>
```

\$args / depth | show_date | date_format | child_of | exclude | include | title_li | echo | authors | sort_column | link_before | link_after | exclude_tree

wp_list_bookmarks

Displays bookmarks found in the Administration > Links panel.

```
<?php wp_list_bookmarks( $args ); ?>
```

\$args / orderby | order | limit | category | exclude_category | category_name | hide_invisible | show_updated | echo | categorize | title_li | title_before | title_after | category_orderby | category_order | class | category_before | category_after

wp_list_comments

Displays all comments for a post or Page based on a variety of parameters including ones set in the administration area.

```
<?php wp_list_comments( $args ); ?>
```

\$args / walker | max_depth | style | callback | end-callback | type | page | per_page | avatar_size | reverse_top_level | reverse_children

wp_get_archives

This function displays a date-based archives list in the same way as get_archives(). The only difference is that parameter arguments are given to the function in query string format.

```
<?php wp_get_archives( $args ); ?>
```

\$args / type | limit | format | before | after | show_post_count | echo

wp_page_menu

Displays a list of WordPress Pages as links, and affords the opportunity to have Home added automatically to the list of Pages displayed.

```
<?php wp_page_menu( $args ); ?>
```

\$args / sort_column | menu_class | include | echo | show_home | link_before | link_after

wp_dropdown_pages

Displays a list of pages in a select (i.e dropdown) box with no submit button.

```
<?php wp_dropdown_pages( $args ); ?>
```

\$args / depth | child_of | selected | echo | name | show_option_none | exclude | exclude_tree

wp_dropdown_categories

Displays a list of categories in a select (i.e dropdown) box with no submit button.

```
<?php wp_dropdown_categories( $args ); ?>
```

\$args / show_option_all | show_option_none | orderby | order | show_last_update | show_count | hide_empty | child_of | exclude | echo | selected | hierarchical | name | class | depth

wp_dropdown_users

Create dropdown HTML content of users.

```
<?php wp_dropdown_users( $args ); ?>
```

\$args / show_option_all | show_option_none | orderby | order | include | exclude | multi | show | echo | selected | name | class

★ LOGIN / LOGOUT TAGS

is_user_logged_in

This Conditional Tag checks if the current visitor is logged in. This is a boolean function, meaning it returns either TRUE or FALSE.

```
<?php if ( is_user_logged_in() ) { ... } ?>
```

wp_login_url

This Template Tag returns the URL that allows the user to log in to the site.

```
<?php echo wp_login_url( $redirect ); ?>
```

\$redirect {s}

wp_logout_url

This Template Tag returns the URL that allows the user to log out to the site.

```
<?php echo wp_logout_url( $redirect ); ?>
```

\$redirect {s}

wp_lostpassword_url

This Template Tag returns the URL that allows the user to retrieve the lost password.

```
<?php echo wp_lostpassword_url( $redirect ); ?>
```

\$redirect {s}

wp_logout

Log the current user out, by destroying the current user session.

```
<?php wp_logout(); ?>
```

wp_loginout

Displays a login link, or if a user is logged in, displays a logout link. An optional, redirect argument can be used to redirect the user upon login or logout.

```
<?php wp_loginout( $redirect ); ?>
```

\$redirect {s}

wp_register

This tag displays either the "Register" link to users that are not logged in or the "Site Admin" link if a user is logged in.

```
<?php wp_register( $before, $after ); ?>
```

\$before {s} / \$after {s}

★ POST TAGS

the_ID

Displays the numeric ID of the current post.

```
<?php the_ID(); ?>
```

the_title

Displays or returns the title of the current post.

```
<?php the_title( $before, $after, $display );?>
```

\$before {s} / \$after {s} / \$display {b}

the_title_rss

Displays the title of the current post, formatted for RSS.

```
<?php the_title_rss(); ?>
```

the_title_attribute

Displays or returns the title of the current post. It somewhat duplicates the functionality of the_title(), but provides a 'clean' version of the title by stripping HTML tags and converting certain characters (including quotes) to their character entity equivalent; it also uses query-string style parameters. This tag must be within The Loop.

```
<?php the_title_attribute( $before, $after, $display );?>
```

\$before {s} / \$after {s} / \$display {b}

single_post_title

Displays or returns the title of the post when on a single post page (permalink page).

```
<?php single_post_title( $prefix, $display ); ?>
```

\$prefix {s} / \$display {b}

the_content

Displays the contents of the current post.

```
<?php the_content( $more_link_text, $strip_teaser, $more_file );?>
```

\$more_link_text {s} / \$strip_teaser {b} / \$more_file {s}

the_content_rss

Displays the content of the current post formatted for RSS.

```
<?php the_content_rss( 'more_link_text', 'strip_teaser', 'more_file', 'cut', 'encode_html' ); ?>
```

\$more_link_text {s} / \$strip_teaser {b} / \$more_file {s} / \$cut {int} / \$encode_html {int}

the_excerpt

Displays the excerpt of the current post with [...] at the end, which is not a "read more" link.

```
<?php the_excerpt(); ?>
```

the_excerpt_rss

Displays the excerpt of the current post formatted for RSS.

```
<?php the_excerpt_rss(); ?>
```

wp_link_pages

Displays page-links for paginated posts (i.e. includes the <!--nextpage--> Quicktag one or more times).

```
<?php wp_link_pages( $args ); ?>
```

\$args / before | after | link_before | link_after | next_or_number | nextpagelink | previouspagelink | pagelink | more_file | echo

posts_nav_link

Displays links for next and previous pages. Useful for providing "paged" navigation of index, category and archive pages.

```
<?php posts_nav_link( 'sep', 'prelabel', 'nxtlabel' ); ?>
```

'sep' {s} / 'prelabel' {s} / 'nxtlabel' {s}

next_post_link

Used on single post permalink pages, this template tag displays a link to the next post which exists in chronological order from the current post.

```
<?php next_post_link( 'format', 'link', 'in_same_cat', 'excluded_categories' ); ?>
```

'format' {s} / 'link' {s} / 'in_same_cat' {b} / 'excluded_categories' {s}

next_posts_link

This creates a link to the previous posts. Yes, it says "next posts," but it's named that just to confuse you. It assumes that your posts are displaying in reverse chronological order (most recent posts first) causing the next page to show posts from earlier in the timeline.

```
<?php next_posts_link( $label, $max_pages ); ?>
```

\$label {s} / \$max_pages {int}

previous_post_link

Used on single post permalink pages, this template tag displays a link to the previous post which exists in chronological order from the current post.

```
<?php previous_post_link( 'format', 'link', 'in_same_cat', 'excluded_categories' ); ?>
```

'format' {s} / 'link' {s} / 'in_same_cat' {b} / 'excluded_categories' {s}

previous_posts_link

This creates a link to the next posts. Yes, it says "previous posts," but it's named that just to confuse you. It assumes that your posts are displaying in reverse chronological order (most recent posts first) causing the previous page to show posts from later in the timeline.

```
<?php previous_posts_link( $label, $max_pages ); ?>
```

\$label {s} / \$max_pages {int}

next_image_link

This creates a link to the next image attached to the current post.

```
<?php next_image_link( [string $size = 'thumbnail'], [string $text = false] ); ?>
```

previous_image_link

This creates a link to the previous image attached to the current post.

```
<?php previous_image_link( [string $size = 'thumbnail'], [string $text = false] ); ?>
```

sticky_class

Displays the sticky post class on a post if applicable.

```
<?php sticky_class(); ?>
```

the_category

Displays a link to the category or categories a post belongs to.

```
<?php the_category( $separator, $parents ); ?>
```

\$separator {s} / \$parents {s}

the_category_rss

Displays the name of the category or categories a post belongs to in RSS format.

```
<?php the_category_rss( $type ) ?> {s}
```

the_tags

This template tag displays a link to the tag or tags a post belongs to.

```
<?php the_tags( $before, $separator, $after );?>
```

\$before {s} / \$separator {s} / \$after {s}

the_meta

Displays an unordered list of meta "key:value" pairs, or the post-meta, for the current post.

```
<?php the_meta(); ?>
```

★ COMMENTS TAGS

wp_list_comments

Displays all comments for a post or Page based on a variety of parameters including ones set in the administration area.

```
<?php wp_list_comments( $args ); ?>
```

\$args / walker | max_depth | style | callback | end-callback | type | page | per_page | avatar_size | reverse_top_level | reverse_children

comments_number

Displays the total number of comments, Trackbacks, and Pingbacks for a post.

```
<?php comments_number('zero', 'one', 'more');?>
```

'zero' {s} / 'one' {s} / 'more' {s}

comments_link

Displays the URL to a post's comments.

```
<?php comments_link(); ?>
```

*** comments_rss_link**

This function has been deprecated, please use `post_comments_feed_link()`.

```
<?php comments_rss_link('text', 'file'); ?>
```

'text' {s} / 'file' {s}

comments_popup_script

Outputs the JavaScript code for a comments popup window.

```
<?php comments_popup_script(width, height);?>
```

width {int} / height {int}

comments_popup_link

Displays a link to the comments popup window if `comments_popup_script()` is used, otherwise it displays a normal link to comments.

```
<?php comments_popup_link('zero', 'one', 'more', 'CSSclass', 'none'); ?>
```

'zero' {s} / 'one' {s} / 'more' {s} / 'CSSclass' {s} / 'none' {s}

comment_ID

Displays the numeric ID of a comment.

```
<?php comment_ID(); ?>
```

comment_id_fields

Generates two hidden inputs for the comment form to identify the `comment_post_ID` and `comment_parent` for threaded comments.

```
<?php comment_id_fields(); ?>
```

comment_author

Displays the comment author name; that is, the one supplied by the commenter.

```
<?php comment_author(); ?>
```

comment_author_link

Displays the comment author's name linked to his/her URL, if one was provided.

```
<?php comment_author_link(); ?>
```

comment_author_email

Displays the comment author's email address, not linked.

```
<?php comment_author_email(); ?>
```

comment_author_email_link

Displays the comment author's email address, as a mailto link.

```
<?php comment_author_email_link('linktext', 'before', 'after'); ?>
```

'linktext' {s} / 'before' {s} / 'after' {s}

comment_author_url

Displays the comment author's URL (usually their web site), not linked.

```
<?php comment_author_url(); ?>
```

comment_author_url_link

Displays the comment author's URL (usually their web site), linked, if one was provided.

```
<?php comment_author_url_link('linktext', 'before', 'after'); ?>
```

'linktext' {s} / 'before' {s} / 'after' {s}

comment_author_IP

Displays the comment author's IP address.

```
<?php comment_author_IP(); ?>
```

comment_type

Displays the type of comment (regular comment, Trackback or Pingback) a comment entry is.

```
<?php comment_type('comment', 'trackback', 'pingback'); ?>
```

'comment' {s} / 'trackback' {s} / 'pingback' {s}

comment_text

Displays the text of a comment.

```
<?php comment_text(); ?>
```

comment_excerpt

Displays an excerpt (maximum of 20 words) of a comment's text.

```
<?php comment_excerpt(); ?>
```

comment_date

Displays the date a comment was posted.

```
<?php comment_date('d'); ?>
```

comment_time

Displays the time a comment was posted.

```
<?php comment_time('d'); ?>
```

comment_form_title

Displays text based on comment reply status.

```
<?php comment_form_title('noreplytext', 'replytext', 'linktoparent' );?>
```

'noreplytext' {s} / 'replytext' {s} / 'linktoparent' {s}

comment_author_rss

Displays the comment author's name formatted for RSS.

```
<?php comment_author_rss(); ?>
```

comment_text_rss

Displays the text of a comment formatted for RSS.

```
<?php comment_text_rss(); ?>
```

get_avatar

Retrieve the avatar for a user who provided a user ID or email address.

```
<?php echo get_avatar( $id_or_email, $size, $default, $alt ); ?>
```

\$id_or_email {int/s/obj} / *\$size* {int} / *\$default* {s} / *\$alt* {s}

permalink_comments_rss

Displays the permalink to the post to which a comment belongs, formatted for RSS.

```
<?php permalink_comments_rss(); ?>
```

comment_reply_link

Displays a link that lets users post a comment in reply to a specific comment.

```
<?php comment_reply_link(array_merge( $args, array('reply_text' => 'Reply', 'add_below' => $add_below, 'depth' => $depth, 'max_depth' => $args['max_depth']))); ?>
```

cancel_comment_reply_link

Displays a link which cancels the replying to a previous comment (a nested comment) and resets the comment form back to the default state.

```
<?php cancel_comment_reply_link('text'); ?>
```

'text' {s}

previous_comments_link

This creates a link to the previous comments page containing older comments.

```
<?php previous_comments_link( 'Label' ); ?>
```

Label' {s}

next_comments_link

This creates a link to the next comments page containing newer comments.

```
<?php next_comments_link('Label', 'Max number of pages (default 0)');?>
```

'Label' {s} / 'Max number of pages (default 0)' {int}

paginate_comments_links

Generate a new way to list the paged comments in the comment template. Instead of using Previous or Next Comments links, it displays a full list of comment pages using numeric indexes.

```
<?php paginate_comments_links( $args ); ?>
```

\$args / base | format | total | current | echo | add_fragment

★ CATEGORY TAGS

the_category

Displays a link to the category or categories a post belongs to.

```
<?php the_category( $separator, $parents ); ?>
```

\$separator {s} / \$parents {s}

the_category_rss

Displays the name of the category or categories a post belongs to in RSS format.

```
<?php the_category_rss( $type ) ?>
```

\$type {s}

single_cat_title

Displays or returns the category title for the current page.

```
<?php single_cat_title( $prefix, $display ); ?>
```

\$prefix {s} / \$display {s}

category_description

Returns the description of a category.

```
<?php echo category_description( $category ); ?>
```

\$category {s}

wp_dropdown_categories

Displays a list of categories in a select (i.e dropdown) box with no submit button.

```
<?php wp_dropdown_categories( $args ); ?>
```

\$args / show_option_all | show_option_none | orderby | order | show_last_update | show_count | hide_empty | child_of | exclude | echo | selected | hierarchical | name | class | depth

wp_list_categories

Displays a list of Categories as links.

```
<?php wp_dropdown_categories( $args ); ?>
```

\$args / show_option_all | orderby | order | show_last_update | style | show_count | hide_empty | use_desc_for_title | child_of | feed | feed_type | feed_image | exclude | exclude_tree | include | current_category | hierarchical | title_li | number | echo | depth

★ TAG TAGS

the_tags

This template tag displays a link to the tag or tags a post belongs to.

```
<?php the_tags( $before, $separator, $after ); ?>
```

\$before {s} / \$separator {s} / \$after {s}

tag_description

First available with WordPress Version 2.8, this template tag returns the description of a tag.

```
<?php tag_description( $tagID ); ?>
```

\$tagID / {s}

single_tag_title

Displays or returns the tag title for the current page.

```
<?php single_tag_title( $prefix, $display ); ?>
```

\$prefix {s} / \$display {s}

wp_tag_cloud

Available with WordPress Version 2.3, this template tag wp_tag_cloud displays a list of tags in what is called a 'tag cloud', where the size of each tag is determined by how many times that particular tag has been assigned to posts.

```
<?php wp_tag_cloud( $args ); ?>
```

\$args / smallest | largest | unit | number | format | separator | orderby | order | exclude | include | link | taxonomy | echo

wp_generate_tag_cloud

Returns an HTML string that makes a tag cloud.

```
<?php wp_tag_cloud( $tags, $args ); ?>
```

\$args / smallest | largest | unit | number | format | separator | orderby | order | topic_count_text_callback | topic_count_scale_callback | filter

★ AUTHOR TAGS

the_author

The author of a post can be displayed by using this Template Tag.

```
<?php the_author(); ?>
```

the_author_link

This tag displays a link to the Website for the author of a post.

```
<?php the_author_link(); ?>
```

the_author_posts

Displays the total number of posts an author has published.

```
<?php the_author_posts(); ?>
```

the_author_posts_link

Displays a link to all posts by an author.

```
<?php the_author_posts_link(); ?>
```

the_author_meta

The the_author_meta Template Tag displays the desired meta data for a user.

```
<?php the_author_meta( $field, $userID ); ?>
```

\$field / user_login | user_pass | user_nicename | user_email | user_url | user_registered | user_activation_key | user_status | display_name | nickname | first_name | last_name | description | jabber | aim | yim | user_level | user_firstname | user_lastname | user_description | rich_editing | comment_shortcuts | admin_color | plugins_per_page | plugins_last_view | ID

\$userID / {int}

wp_list_authors

Displays a list of the blog's authors (users), and if the user has authored any posts, the author name is displayed as a link to their posts.

```
<?php wp_list_authors( $args ); ?>
```

\$args / optioncount | exclude_admin | show_fullname | hide_empty | echo | feed | feed_image | style | html

wp_dropdown_users

Create dropdown HTML content of users.

```
<?php wp_dropdown_users( $args ); ?>
```

\$args / show_option_all | show_option_none | orderby | order | include | exclude | multi | show | echo | selected | name | class

★ DATE AND TIME TAGS

the_time

Displays the time of the current post.

```
<?php the_time('d'); ?>
```

the_date

isplays or returns the date of a post, or a set of posts if published on the same day.

```
<?php the_date('format', 'before', 'after', echo); ?>
```

'format' {s} / 'before' {s} / 'after' {s} / echo {b}

the_date_xml

Displays the date of the post in YYYY-MM-DD format (ex: 2004-09-24).

```
<?php the_date_xml(); ?>
```

the_modified_time

This tag displays the time (and date) a post was last modified and is similar to the functionality of the_time(), which displays the time (and date) a post was created.

```
<?php the_modified_time('d'); ?>
```

the_modified_date

This tag displays the date (and time) a post was last modified. This tag works just like the_modified_time(), which also displays the time/date a post was last modified.

```
<?php the_modified_date('d'); ?>
```

the_modified_author

The author who last modified a post can be displayed by using this Template Tag.

```
<?php the_modified_author(); ?>
```

single_month_title

Displays or returns the month and year title for the current page. This tag only works when the m or archive month argument has been passed by WordPress to the current page (this occurs when viewing a monthly archive page).

```
<?php single_month_title( $prefix, $display ) ?>
```

\$prefix {s} / \$display {s}

★ EDIT LINK TAGS

edit_post_link

Displays a link to edit the current post, if a user is logged in and allowed to edit the post.

```
<?php edit_post_link  
( $link, $before, $after, $post ); ?>
```

\$link {s} / \$before {s} / \$after {s} / \$post {int}

edit_comment_link

Displays a link to edit the current comment, if the user is logged in and allowed to edit the comment.

```
<?php edit_comment_link  
( $link, $before, $after ); ?>
```

\$link {s} / \$before {s} / \$after {s}

edit_tag_link

Displays a link to edit the current tag, if the user is logged in and allowed to edit the tag.

```
<?php edit_tag_link  
( $link, $before, $after, $tag ); ?>
```

\$link {s} / \$before {s} / \$after {s} / \$tag {int}

edit_bookmark_link

Displays a link to edit the current bookmark, if the user is logged in and allowed to edit the bookmark.

```
<?php edit_bookmark_link  
( $link, $before, $after, $bookmark ); ?>
```

\$link {s} / \$before {s} / \$after {s} / \$bookmark {int}

★ TRACKBACK TAGS

trackback_url

Displays or returns the trackback URL for the current post.

```
<?php trackback_url( display ); ?>
```

display {b}

trackback_rdf

Outputs the trackback RDF information for a post.

```
<?php trackback_rdf(); ?>
```

★ PERMALINK TAGS

permalink_anchor

Outputs a permalink anchor identifier or id (for a post. This is useful for linking to a particular post on a page displaying several posts, such as an archive page.

```
<?php permalink_anchor( 'type' ); ?>
```

'type' {s}

get_permalink

Returns the permalink to a post for use in PHP. It does NOT display the permalink and can be used outside of The Loop.

```
<?php $permalink = get_permalink( id ); ?>
```

id {int}

the_permalink

Displays the URL for the permalink to the post currently being processed in The Loop.

```
<?php the_permalink(); ?>
```

permalink_single_rss

Displays the permalink for the current post, formatted for syndication feeds such as RSS or Atom.

```
<?php permalink_single_rss( 'file' ); ?>
```

'file' {s}

★ LINKS MANAGER TAGS

wp_list_bookmarks

Displays bookmarks found in the Administration > Links panel.

```
<?php wp_list_bookmarks( $args ); ?>
```

\$args / orderby | order | limit | category | exclude_category | category_name | hide_invisible | show_updated | echo | categorize | title_li | title_before | title_after | category_orderby | category_order | class | category_before | category_after

get_bookmarks

This function returns an array of bookmarks found in the Administration > Blogroll > Manage Blogroll panel.

```
<?php get_bookmarks( $args ); ?>
```

\$args / orderby | order | limit | category | category_name | hide_invisible | show_updated | include | exclude | search

get_bookmark

Retrieve Bookmark data based on bookmark link ID.

```
<?php get_bookmark  
( $bookmark, $output, $filter ) ?>
```

\$bookmark {int} / \$output {s} / \$filter {s}

★ QUERY TAGS

get_posts

This is a simple tag for creating multiple loops.

```
<?php get_posts( 'arguments' ); ?>
```

\$numberposts {int} / \$offset {int} / \$category {int} / \$category_name {s} / \$tag {s} /

\$orderby {s} (author | category | content | date | ID | menu_order | mime_type | modified | name | parent | password | rand | status | title | type)

\$order {s} / \$include {s} / \$exclude {s} / \$meta_key {s} / \$meta_value {s}

\$post_type {s} (post | page | attachment | any)

\$post_status {s} (publish | private | draft | future | inherit | blank)

\$post_parent {int} / \$nopaging {b}

query_posts

Query_posts can be used to control which posts show up in The Loop. It accepts a variety of parameters in the same format as used in your URL (e.g. p=4 to show only post of ID number 4).

```
<?php  
//The Query  
query_posts( 'arguments' );  
//The Loop  
if ( have_posts() ) : while ( have_posts() ) :  
the_post();  
..  
endwhile; else:  
..  
endif;  
//Reset Query  
wp_reset_query();  
?>
```

T Arguments include: Category Parameters, Tag Parameters, Author Parameters, Post & Page Parameters, Sticky Post Parameters, Time Parameters, Pagination Parameters, Offset Parameter, Orderby Parameters, Order Parameters, Custom Field Parameters, Combining Parameters.

★ REFERENCE AND CREDITS

WORDPRESS VISUAL CHEAT SHEET: Design © 2009 Antonio Lupetti

• <http://woorkup.com> • <http://www.twitter.com/woork> • <http://www.facebook.com/antoniolupetti>

WORDPRESS WordPress is a state-of-the-art publishing platform with a focus on aesthetics, web standards, and usability. WordPress is both free and priceless at the same time. • <http://wordpress.org>

★ TITLE

wp_title

Displays or returns the title of the page.

```
<?php wp_title( $sep, $echo, $seplocation ); ?>
```

\$sep {s} / \$echo {s} / \$seplocation {s}

single_post_title

Displays or returns the title of the post when on a single post page (permalink page).

```
<?php single_post_title( $prefix, $display ); ?>
```

\$prefix {s} / \$display {s}

single_cat_title

Displays or returns the category title for the current page.

```
<?php single_cat_title( $prefix, $display ); ?>
```

\$prefix {s} / \$display {s}

single_tag_title

Displays or returns the tag title for the current page.

```
<?php single_tag_title( $prefix, $display ); ?>
```

\$prefix {s} / \$display {s}

single_month_title

This tag displays the date (and time) a post was last modified. This tag works just like the_modified_time(), which also displays the time/date a post was last modified.

```
<?php single_month_title( $prefix, $display ); ?>
```

\$prefix {s} / \$display {s}

the_search_query

Displays the search query for the current request, if a search was made.

```
<?php the_modified_time( 'd' ); ?>
```